

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S58	0	09/914593	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	ON	2005/04/25 14:52
S59	1977164	IC or (integrated adj circuit) or chip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	ON	2005/04/25 15:19
S60	610	S59 with (motor and (actuator or coil) and (pickup or pick-up or head))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	ON	2005/04/25 15:20
S63	149	S62 and ("360" or "369").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	ON	2005/04/25 15:21
S61	221	S60 and ("360" or "369").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	ON	2005/04/25 15:21
S62	373	S59 with (motor same (actuator or coil) same (pickup or pick-up or head))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	ON	2005/04/26 10:14
S66	10	S64 with (motor same (actuator or coil) same traverse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	ON	2005/04/26 10:15
S64	1977841	IC or (integrated adj circuit) or chip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	ON	2005/04/26 10:16

S69	17	S64 with (motor same (actuator or coil) same (pickup or pick-up or head) same radial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 10:18
S68	143	(S64 with (radial)) and ("369" or "360").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 10:18
S67	1	(S64 with (traverse adj motor)) and ("369" or "360").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 10:18
S65	0	S64 with (motor same (actuator or coil) same (pickup or pick-up or head) same traverse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 10:18
S70	49660	(spindle or motor) with S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 10:56
S73	1703	(spindle or motor) with S64 with heat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 11:00
S71	1044	(spindle or motor) with S64 with temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 11:00
S74	21	S73 and ("360" or "369").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 11:01
S72	14	S71 and ("360" or "369").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 11:01

S76	4	S75 and ("369" or "360").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 13:17
S75	80	(suppress\$3 near3 heat) with ((reduc\$4 or decreas\$4) near5 (revolution or revolv\$3 or spin\$4 or rotat\$3 or speed or velocity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 13:17
S34	96	((369/53.12,53.13,53.18,53.37,53.42,53. 43,53.45).ccls.) and ((temperature or heat or therm\$6) near10 (detect\$3 or measur\$5 or sens\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 16:34
L2	104	((369/53.12,53.13,53.18,53.37,53.42,53. 43,53.45).ccls.) and ((temperature or heat or therm\$6) near10 (detect\$3 or measur\$5 or sens\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 16:34
L1	1011435	@pd>="20041013"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 16:34
L3	8	1 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 16:35
L6	8	1 and (L4 or L5)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 16:36
L5	55	(369/44.25,44.32).ccls. and ((temperature or heat or therm\$6) near10 (ic or chip or circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 16:36
L4	82	(369/44.25,44.32).ccls. and ((temperature or heat or therm\$6) near10 (detect\$3 or measur\$5 or sens\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/04/26 16:36